



BCH

BCH
ELECTRIC
LIMITED

FINAL DISTRIBUTION PRODUCTS

Price List effective 17th November 2025

Modern facilities at Faridabad & Rudrapur



Our Strengths

- ◆ State-of-the-art product development and R&D
- ◆ Modern manufacturing facilities
- ◆ Tool room with latest facilities
- ◆ Serving customers for five decades
- ◆ Presence in ~50 locations
- ◆ 650 channel partners
- ◆ ISO 9001:2015 & ISO 14001:2015, ISO 45001: 2018 certified company

Core Values

- ◆ Integrity
- ◆ Nurturing People
- ◆ Commitment to Customers
- ◆ Striving for Excellence
- ◆ Long Term Thinking

Quality Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to provide Quality products and service in compliance with applicable Statutory and Regulatory requirements, to meet or exceed the customer need and expectations through -

- ◆ Continual improvement
- ◆ Involvement of employees
- ◆ Setting Quality objectives
- ◆ Training and development of employees

Health & Safety Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Health & Safety legislation and regulation.

We shall continually improve through -

- ◆ Provide Safe & Healthy working conditions for the prevention of work related injury and ill health.
- ◆ Develop & maintain the Health & Safety objectives & targets and conduct health & safety programs for achieving the objectives and target.
- ◆ The prevention of accidents through the identification, assessment and elimination of workplace hazards and the promotion of health & safety awareness among its employees and contractors.
- ◆ Encourage employee's participation and consultation in matters affecting the health, safety and well being of our people and seek suggestions from our employees of ways in which health, safety & well being can be furthered.

The Health & safety policy is publicly available on request.


Environmental Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Environmental legislation and regulation.

We shall continually improve through -

- ◆ Provide a framework for setting and reviewing environmental objectives and targets.
- ◆ Regularly review the impact of our activities on environment and strive to reduce the pollution/waste.
- ◆ Involve employees in our environmental program and provide necessary training to enable them to discharge their responsibilities towards environment management.
- ◆ Sustain the program of continual improvement in environment in environmental performance incorporating suitable metrics and monitoring.

The Environment policy is publicly available on request.




www.bchindia.com

Miniature Circuit Breaker

Product Range


- Current ratings : 0.5A - 63A
- Possible configuration : 1P / 1P+N / 2P / 3P / 3P+N / 4P
- Insulation voltage : 690V
- Impulse withstand : 4kV
- Breaking capacity : 10kA
- Terminal capacity : 35 Sq mm (Cu)
- Magnetic tripping curve : B Curve & C Curve
- Compliance with standards : IS/IEC 60898-1
IS/IEC 60947-2
- Operating temperature range : -5°C to +55°C
- Electrical life : Up to 10000 operations
(IS recommend & certifies 4000 operations)
- Mechanical life : Up to 10000 operations
- Energy Limiting Class : 3




Salient Features

- Line load interchangeability
- Dual Position Mounting Clip for easy installation
- Fast Tripping
- Current limiting design
- 45mm panel cutout, suitable for standard MCB distribution boards
- Possibility of busbar termination at both ends


PRODUCT CERTIFICATION



Tripping Curves



'B' Characteristics



'C' Characteristics

Low Watt Loss to Save Energy

Comparison w.r.t. IS/IEC - 60898 -1-2002		
Rating (Amp)	As per IS/IEC 60898-1-2002 Maximum Watt Loss	BCH Watt Loss / pole (Watt)
6	3.0W	1.4
10	3.0W	1.95
16	3.5W	2.19
20	4.5W	2.4
25	4.5W	2.9
32	6.0W	4.5
40	7.5W	5
50	7.5W	5.5
63	13.W	6.93



Pole	Standard pack of	Rating	B Curve Cat. No.	MRP [₹]	C Curve Cat. No.	MRP (per unit)[₹]	Rating	Lower Rating Cat. No.	MRP (per unit)[₹]
1P	12 units	6A	BCHX10SPB06	285	BCHX10SPC06	285	0.5A 1A 2A 3A 4A 5A	BCHX10SPCL5	500
		10A	BCHX10SPB10	285	BCHX10SPC10	285		BCHX10SPC01	500
		16A	BCHX10SPB16	285	BCHX10SPC16	285		BCHX10SPC02	500
		20A	BCHX10SPB20	285	BCHX10SPC20	285		BCHX10SPC03	500
		25A	BCHX10SPB25	285	BCHX10SPC25	285		BCHX10SPC04	500
		32A	BCHX10SPB32	285	BCHX10SPC32	285		BCHX10SPC05	500
		40A	BCHX10SPB40	695	BCHX10SPC40	695			
		50A	BCHX10SPB50	695	BCHX10SPC50	695			
1P+N	6 units	6A			BCHX10SNC06	1000			
		10A			BCHX10SNC10	1000			
		16A			BCHX10SNC16	1000			
		20A			BCHX10SNC20	1000			
		25A			BCHX10SNC25	1000			
		32A			BCHX10SNC32	1000			
		40A			BCHX10SNC40	1490			
		50A			BCHX10SNC50	1490			
2P	6 units	6A	BCHX10DPB06	1055	BCHX10DPC06	1055	0.5A 1A 2A 3A 4A 5A	BCHX10DPCL5	1485
		10A	BCHX10DPB10	1055	BCHX10DPC10	1055		BCHX10DPC01	1485
		16A	BCHX10DPB16	1055	BCHX10DPC16	1055		BCHX10DPC02	1485
		20A	BCHX10DPB20	1055	BCHX10DPC20	1055		BCHX10DPC03	1485
		25A	BCHX10DPB25	1055	BCHX10DPC25	1055		BCHX10DPC04	1485
		32A	BCHX10DPB32	1055	BCHX10DPC32	1055		BCHX10DPC05	1485
		40A	BCHX10DPB40	1640	BCHX10DPC40	1640			
		50A	BCHX10DPB50	1640	BCHX10DPC50	1640			
3P	4 units	6A	BCHX10TPB06	1660	BCHX10TPC06	1660	0.5A 1A 2A 3A 4A 5A	BCHX10TPCL5	2030
		10A	BCHX10TPB10	1660	BCHX10TPC10	1660		BCHX10TPC01	2030
		16A	BCHX10TPB16	1660	BCHX10TPC16	1660		BCHX10TPC02	2030
		20A	BCHX10TPB20	1660	BCHX10TPC20	1660		BCHX10TPC03	2030
		25A	BCHX10TPB25	1660	BCHX10TPC25	1660		BCHX10TPC04	2030
		32A	BCHX10TPB32	1660	BCHX10TPC32	1660		BCHX10TPC05	2030
		40A	BCHX10TPB40	2520	BCHX10TPC40	2520			
		50A	BCHX10TPB50	2520	BCHX10TPC50	2520			
3P+N	3 units	6A			BCHX10TNC06	2135			
		10A			BCHX10TNC10	2135			
		16A			BCHX10TNC16	2135			
		20A			BCHX10TNC20	2135			
		25A			BCHX10TNC25	2135			
		32A			BCHX10TNC32	2135			
		40A			BCHX10TNC40	2890			
		50A			BCHX10TNC50	2890			
4P	3 units	6A	BCHX10FPB06	2230	BCHX10FPC06	2230	0.5A 1A 2A 3A 4A 5A	BCHX10FPCL5	2785
		10A	BCHX10FPB10	2230	BCHX10FPC10	2230		BCHX10FPC01	2785
		16A	BCHX10FPB16	2230	BCHX10FPC16	2230		BCHX10FPC02	2785
		20A	BCHX10FPB20	2230	BCHX10FPC20	2230		BCHX10FPC03	2785
		25A	BCHX10FPB25	2230	BCHX10FPC25	2230		BCHX10FPC04	2785
		32A	BCHX10FPB32	2230	BCHX10FPC32	2230		BCHX10FPC05	2785
		40A	BCHX10FPB40	3175	BCHX10FPC40	3175			
		50A	BCHX10FPB50	3175	BCHX10FPC50	3175			
4P	3 units	63A	BCHX10FPB63	3250	BCHX10FPC63	3250			

HSN Code : 8536



Poles	Standard Pack of	Rating	Cat. No.	MRP (per unit) [₹]
2P	6 units	40A	BCHISODP40	715
	6 units	63A	BCHISODP63	880
3P	4 units	40A	BCHISOTP40	1270
	4 units	63A	BCHISOTP63	1455
4P	3 units	40A	BCHISOF40	1490
	3 units	63A	BCHISOF63	1615

MCB DISTRIBUTION BOXES



HSN Code : 8537



No. Of Way	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]
4 WAY	4	BCHPSPNSD04W	1435
6 WAY	6	BCHPSPNSD06W	1535
8 WAY	8	BCHPSPNSD08W	1800
12 WAY	12	BCHPSPNSD12W	2355
16 WAY	16	BCHPSPNSD16W	3015

No. Of Way	Cat. No. (Double Door)	MRP [₹]
4 WAY	BCHPSPNDD04W	2310
6 WAY	BCHPSPNDD06W	2360
8 WAY	BCHPSPNDD08W	2710
12 WAY	BCHPSPNDD12W	3630
16 WAY	BCHPSPNDD16W	4635



No. Of Way	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]
4 WAY	4	BCHPHTPNSD04W	4655
6 WAY	6	BCHPHTPNSD06W	5585
8 WAY	8	BCHPHTPNSD08W	6145

No. Of Way	Cat. No. (Double Door)	MRP [₹]
4 WAY	BCHPHTPNDD04W	5835
6 WAY	BCHPHTPNDD06W	7255
8 WAY	BCHPHTPNDD08W	9010

HSN Code : 8537



Description	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]	Cat. No. (Double Door)	MRP [₹]
4 WAY, SPN DB	4	BCHSPNSD04W	1460	BCHSPNDD04W	2375
6 WAY, SPN DB	6	BCHSPNSD06W	1555	BCHSPNDD06W	2430
8 WAY, SPN DB	8	BCHSPNSD08W	1825	BCHSPNDD08W	2785
12 WAY, SPN DB	12	BCHSPNSD12W	2395	BCHSPNDD12W	3725
16 WAY, SPN DB	16	BCHSPNSD16W	3055	BCHSPNDD16W	4760

HSN Code : 8537



Description	No. of Modules (Incoming + Outgoing)	Cat. No. (Single Door)	MRP [₹]	Cat. No. (Double Door)	MRP [₹]
4 WAY, HTPN DB	8+12	BCHHTPNSD04W	4785	BCHHTPNDD04W	5995
6 WAY, HTPN DB	8+18	BCHHTPNSD06W	5740	BCHHTPNDD06W	7455
8 WAY, HTPN DB	8+24	BCHHTPNSD08W	6315	BCHHTPNDD08W	9260
12 WAY, HTPN DB	8+36	BCHHTPNSD12W	8375	BCHHTPNDD12W	13245



HSN Code : 8537			
Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
4 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD04W-A	8+12	12990
6 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD06W-A	8+18	16260
8 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD08W-A	8+24	18315
12 WAY, DD, MCB I/C, VERTICAL TPN DB	BCHVTPNDD12W-A	8+36	23400

All above DB's are double door



HSN Code : 8537			
Description	Cat. No.	Suitable for MCCB Frame	MRP [₹]
4 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD04W-B	FRAME 1	17700
8 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD08W-B	FRAME 1	20285
12 WAY, DD, 125A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD12W-B	FRAME 1	27475
4 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD04W-C	FRAME 2	21565
8 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD08W-C	FRAME 2	26350
12 WAY, DD, 250A, 3P MCCB I/C VERTICAL TPN DB	BCHVTPNDD12W-C	FRAME 2	30765

All above DB's are double door



HSN Code : 8537			
Description	Cat. No.	Suitable for MCCB Frame	MRP [₹]
4 WAY, DD 125A 4P MCCB I/C, VERTICAL TPN DB	BCHVTPNDD04W-XA1B0	XA1/XB0/XD0	18590
8 WAY, DD, 125A, 4P MCCB I/C, VERTICAL TPN DB	BCHVTPNDD08W-XA1B0	XA1/XB0/XD0	21300
12 WAY, DD, 125A, 4P MCCB I/C, VERTICAL TPN DB	BCHVTPNDD12W-XA1B0	XA1/XB0/XD0	28850



HSN Code : 8537			
Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
4 WAY, DD, 7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD04W	8+12+12	19455
6 WAY, DD, 7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD06W	8+12+18	21915
8 WAY, DD, 7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD08W	8+12+24	24475
12 WAY, DD, 7 SEGMENT PHASE SEGREGATED DB	BCHPHSGDD12W	8+12+36	31095

All above DB's are double door



HSN Code : 8537			
Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
4 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD04W-40		20010
6 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD06W-40		20545
8 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD08W-40		23005
12 WAY, 40A, DD, PHASE SELECTOR DB	BCHPHSLDD12W-40		26215
4 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD04W-63		20170
6 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD06W-63		20865
8 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD08W-63		23970
12 WAY, 63A, DD, PHASE SELECTOR DB	BCHPHSLDD12W-63		26645

All above DB's are double door



HSN Code : 8537			
Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
2 ROW, 13 MODULE, DD, ROW DB	BCHROWDB2R13	13	8895
3 ROW, 13 MODULE, DD, ROW DB	BCHROWDB3R13	13	10480
4 ROW, 13 MODULE, DD, ROW DB	BCHROWDB4R13	13	11610

All above DB's are double door

★ All above DB's are Non Stockable with leadtime of 45 days



HSN Code : 8537

Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
SPN-10A, P&S DB	BCHPSDBSPN10		1800
SPN-20A, P&S DB	BCHPSDBSPN20		1800
TPN-20A, P&S DB	BCHPSDBTPN20		5150
TPN-30A, P&S DB	BCHPSDBTPN30		5150



HSN Code : 8537

Description	Cat. No.	No. of Modules (Incoming + Outgoing)	MRP [₹]
SP, ONE WAY MCB DB	BCHOWMCBDBSP		745
DP, ONE WAY MCB DB	BCHOWMCBDBDP		745
TP, ONE WAY MCB DB	BCHOWMCBDBTP		805
FP, ONE WAY MCB DB	BCHOWMCBDBFP		805

RCCB



RCCB, Double Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCBR030DPC25	4135
40A - 30mA	BCHRCBR030DPC40	4225
63A - 30mA	BCHRCBR030DPC63	5675
25A - 100mA	BCHRCBR100DPC25	4180
40A - 100mA	BCHRCBR100DPC40	4335
63A - 100mA	BCHRCBR100DPC63	5795
25A - 300mA	BCHRCBR300DPC25	4180
40A - 300mA	BCHRCBR300DPC40	4640
63A - 300mA	BCHRCBR300DPC63	5795

All above RCCB's are 'AC' type



RCCB, Four Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCBR030FPC25	5325
40A - 30mA	BCHRCBR030FPC40	5480
63A - 30mA	BCHRCBR030FPC63	6165
25A - 100mA	BCHRCBR100FPC25	5480
40A - 100mA	BCHRCBR100FPC40	5715
63A - 100mA	BCHRCBR100FPC63	6165
25A - 300mA	BCHRCBR300FPC25	5480
40A - 300mA	BCHRCBR300FPC40	5745
63A - 300mA	BCHRCBR300FPC63	6165

All above RCCB's are 'AC' type

- Zone:** Effects
- Zone 1:** Usually no reactions.
- Zone 2:** Usually no harmful effects.
- Zone 3:** Muscle cramps can occur. There is normally no danger of ventricular fibrillation.
- Zone 4:** Ventricular fibrillation may occur which can be fatal.



RCCB, Double Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCB030DPC25	4210
40A - 30mA	BCHRCB030DPC40	4300
63A - 30mA	BCHRCB030DPC63	5775
25A - 100mA	BCHRCB100DPC25	4250
40A - 100mA	BCHRCB100DPC40	4410
63A - 100mA	BCHRCB100DPC63	5905
25A - 300mA	BCHRCB300DPC25	4250
40A - 300mA	BCHRCB300DPC40	4720
63A - 300mA	BCHRCB300DPC63	5905

All above RCCB's are 'AC' type




RCCB, Four Pole

HSN Code : 8536

Description	Cat. No.	MRP [₹]
25A - 30mA	BCHRCB030FPC25	5420
40A - 30mA	BCHRCB030FPC40	5585
63A - 30mA	BCHRCB030FPC63	6280
25A - 100mA	BCHRCB100FPC25	5585
40A - 100mA	BCHRCB100FPC40	5825
63A - 100mA	BCHRCB100FPC63	6280
25A - 300mA	BCHRCB300FPC25	5585
40A - 300mA	BCHRCB300FPC40	5845
63A - 300mA	BCHRCB300FPC63	6280

All above RCCB's are 'AC' type



Effect of Current

Zone	Effects
Zone 1	Usually no reactions
Zone 2	Usually no harmful effects
Zone 3	Muscle cramps can occur. There is normally no danger of ventricular fibrillation.
Zone 4	Chances of ventricular fibrillation increased upto 5% (Curve C2) upto 50% (Curve C3) and above 50% beyond Curve C3. Effects such as cardiac arrest, breathing arrest and heavy burns may also occur.

MCB - SELECTION CHART

	Appliances	Capacity	AMP	MCB Type
	Washing Machine	10KG	10A	C Type
	Air-Conditioner	1.0 T 1.5 T 2.0 T	16A 20A 20A	C Type C Type C Type
	Oven + Griller	1750 W 4500 W	10A 25A	B Type B Type
	Oven	750 W	6A	B Type
	Toaster	1200 W	10A	B Type
	Mixer	200 W	2A	C Type
	Refrigrator	165 L 350 L	4A-6A	C Type C Type
	Electric Geyser	4000 W	20A	B Type
	Electric Iron	750 W	6A	B Type
	Electric Kettle	1500 W	10A	B Type



BCH

Price List

General Terms & Conditions

Prices are subject to change without any prior notice and will be applicable as prevailing at the time of dispatch.

- The prices are ex-works basis..
- The prices given in this list are effective as on date and are subject to change without notice.
- The List Prices (LP) mentioned are exclusive of GST.
- The duties, taxes and other statutory levies are based on rates prevailing at the time of billing. Any subsequent revision of those rates having retrospective effective shall be to customer's account.
- In case where any GST exemption has been claimed, the purchaser is responsible for providing the necessary GST exemption form within the specified period, failing which the purchaser would be liable for the payment of full GST plus applicable interest and penalties
- All Prices are in Indian Rupees (₹).
- Alteration made after receipt of confirmation of order are subject to price & delivery revisions and any other expenses or levies
- The dispute, if any, will be resolved mutually by discussion. However, if no settlement is forthcoming then, the Courts at New Delhi shall only have territorial jurisdiction to hear and decide the dispute.

Warranty

All products, unless specifically mentioned otherwise, shall have warranty, against manufacturing defects for a period of 18* months from the date of invoicing & 24 months from date of manufacturing whichever is later subject to the provision of proper usage and does not cover defects arising out of fire, accident, inefficient maintenance, faulty operation and willful or accidental damage. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.

* Proof of purchase to be retained to avail warranty.

Power Control Products
Starters & Submersible Pump Starters
Industrial Enclosures
Industrial Products
Wires & Cables
Motor Control Products
Power Bus Duct
Customised Solution
Automation

a strong commitment to serve better always ...



BCH ELECTRIC LIMITED



1800-103-9262
customer care@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100

CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com

Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udham Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad
401, Ship Zeveri,
Beside Shyamal Iconic,
Above Westside,
Shyamal Cross Road,
Ahmedabad - 380015
E-mail.: ahmedabad@bchindia.com

Bangalore
2nd Floor, 130/5,
K.H. Road (Double road),
Bangalore - 560 027
Tel. : 080-41144879 / 22236759
E-mail : bangalore@bchindia.com

Bhubaneswar
Mallick Commercial
Complex Plot No.: A/69, unit - 3
Bhubaneswar - 751 001
Tel.: 0674-2380988
E-mail.: bhubaneswar@bchindia.com

Chandigarh (Panchkula)
SCO -270, 2nd Floor,
Sector-16, Panchkula
Haryana-134 113
Tel.: 0172-5078957 / 5049905
E-mail.: chandigarh@bchindia.com

Chennai
Flat No. 3A, 3rd Floor,
Sree Apartments,
No.508, TTK Road,
Alwarpet, Chennai 600 018
Tel.: 044-24337046, 24337047
E-mail : chennai@bchindia.com

Coimbatore
87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311 / 2302599
E-mail : coimbatore@bchindia.com

Delhi 1
801, Akash Deep Building,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878 / 43518200
E-mail : delhi@bchindia.com

Delhi 2
710, Deepali Building, 92
Nehru Place, New Delhi - 110
019 Tel. : 011-45720334
E-mail : delhi2@bchindia.com

Dehradun
8, Co-operative Industrial Estate,
Patel Nagar, Dehradun-248001
E-mail : dehradun@bchindia.com

Faridabad
20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Telfax : 0129-4293009
E-mail : faridabad@bchindia.com

Hyderabad
1-8-303/48/13/102, Arya One,
2nd Floor, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27890306
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore
330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011 / 2510012
E-mail : indore@bchindia.com

Jaipur
25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur
A.J. Tower, 2B,
2nd Floor, R-Road, Bistupur,
Jamshedpur - 831 001
E-mail : jamshedpur@bchindia.com

Kolkata
Block 1E, 216,
Acharya Jagadish Chandra Bose
Road, Kolkata - 700 017
Tel. : 033-22871728 / 46021884
E-mail : kolkata@bchindia.com

Lucknow
Shop No. 3, First Floor,
Tower T-10, Millennium Place IBB - 2,
Sushant Golf City, Sultanpur Road,
Lucknow U.P. - 226030
Tel. : 0522-4025597/4025997
E-mail : lucknow@bchindia.com

Ludhiana
S.C.O.- 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
E-mail : ludhiana@bchindia.com

Madurai
12, Parvathi Plaza-3rd Floor,
70 Feet Road, Ellis Nagar
Madurai-625016, Tamilnadu
Email: madurai@bchindia.com

Mumbai
A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22850162
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Patna
No.703, 7th Floor, Luv Kush
Tower, Exhibition Road,
Patna - 800001

Pune
8, Sarosh Bhavan,
16-B/1, Dr. Ambedkar Road,
Pune - 411 001
Tel. : 020-41210002
E-mail : pune@bchindia.com

Raipur
6th Floor, Office No. 607,
Babylon Capital, Near Oswal
Petrol Pump, VIP Chowk,
G.E. Road, Raipur - 492 006
Tel. : 0771- 4045053
E-mail : raipur@bchindia.com

Vadodara
301, Third Floor, "Florence Classic",
10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA
Housing, Near Cow Circle, Akota, Vadodara - 390 020
Tel. : 0265-2345068/2345069
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati :** guwahati@bchindia.com, **Vishakapatnam :** vizag@bchindia.com, **Surat :** surat@bchindia.com, **Trichy :** Trichy@bchindia.com

Resident Engineer Locations

Agra	Bhopal	Hospet	Kanpur	Muzaffarnagar	Rajahmundry	Silliguri	Varanasi
Ahmednagar	Calicut	Hubli	Karimnagar	Nanded	Ranchi	Solapur	Vijaywada
Ambala	Goa	Idukki	Karnal	Nashik	Rourkela	Srinagar	Vishakapatnam
Anantapur	Gulbarga	Jabalpur	Kota	Panipat	Rudarpur	Trivendrum	Vellore
Ankleshwar	Gurgaon	Jalandhar	Kurnool	Patna	Salem	Tirunelveli	Vilupuram
Aurangabad	Haridwar	Jodhpur	Midnapore	Puducherry	Sikar	Udaipur	Warangal
Bhiwadi	Hisar	Kashipur	Mahua	Rajkot	Silchar	Vapi	Yamunanagar

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.