

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

MOMENTARY ACTUATORS				
		TYPE	COLOUR	ORDERING CODE
			White	P2AF1
			Black	P2AF2
			Green	P2AF3
		Flush	Red	P2AF4
			Blue	P2AF6
			Yellow	P2AF8
	Marked Actuators available as per request			
			White	P2AF1A
			Black	P2AF2A
		Flush with Arrow marking	Green	P2AF3A
			Red	P2AF4A
			Blue	P2AF6A
			Yellow	P2AF8A
			White	P2AP1
			Black	P2AP2
		Projecting	Green	P2AP3
			Red	P2AP4
			Blue	P2AP6
			Yellow	P2AP8
			White	P2AP10
			Black	P2AP20
		Projecting with marking	Green	P2AP30
			Red	P2AP40
			Blue	P2AP60
			Yellow	P2AP80
			White	P2AF1BT7
			Black	P2AF2BT7
			Green	P2AF3BT7
		Booted	Red	P2AF4BT7
			Blue	P2AF6BT7
			Yellow	P2AF8BT7

*All actuators are supplied with fixing flange

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

MUSHROOM HEAD ACTUATORS			
	TYPE	COLOUR	ORDERING CODE
		Black	P2AM2
	Momentary Ø 40mm	Green	P2AM3
		Red	P2AM4
		Blue	P2AM6
		Yellow	P2AM8
		Black	P2AMJ2
	Momentary Ø 60mm	Green	P2AMJ3
		Red	P2AMJ4
		Blue	P2AMJ6
		Yellow	P2AMJ8
	Latching Ø 30mm	Black	P2AMLS2
		Red	P2AMLS4
	Latching Ø 40mm	Black	P2AML2
		Red	P2AML4
	Latching Jumbo Ø 60mm	Black	P2AMLJ2
		Red	P2AMLJ4
	Latching with Key Ø 40mm	Black	P2AMLKB2
		Red	P2AMLKB4

*All actuators are supplied with fixing flange

TEKNIC

Control & Signalling Devices 22.5 Ø



PLASTIC SERIES

MUSHROOM HEAD ACTUATORS			
	TYPE	COLOUR	ORDERING CODE
			
	Push Pull Ø 40 mm	Red	P2AMPP4
			
	Push Pull Ø 60 mm	Red	P2AMPPJ4
			
	Trigger type Press to Lock turn to release Ø 40 mm	Red	P2AMLT4
			
	Trigger type Press to Lock key to release Ø 40 mm	Red	P2AMLTKB4
*All actuators are supplied with fixing flange			

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

SELECTOR ACTUATORS			
	TYPE	COLOUR	ORDERING CODE
	Selector	Black	P2AS2-2P
	2 position		
	LATCHING		
	with ext. knob		
			P2AS2E-2P
	2 position	Black	P2AS2-2PSR
	MOMENTARY		
	with ext. knob		
	3 position	Black	P2AS2-3P
	STAY PUT		
	with ext. knob		
	MOMENTARY	Black	P2AS2-3PSR
	on both sides		
	with ext. knob		
	3 position	Black	P2AS2-3PSRR
	MOMENTARY		
	on right		
	with ext. knob		
3position	Black	P2AS2-3PSRL	
MOMENTARY			
on left			
with ext. knob			

*All actuators are supplied with fixing flange

TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

KEY SELECTOR ACTUATORS




	TYPE	COLOUR	ORDERING CODE
	2 Position Stayput	Black	P2AK2-2PB
			P2AK2-2PO
			P2AK2-2PI
	Spring Return	Black	P2AK2-2POSR
	3 Position Stayput	Black	P2AK2-3PA
		Black	P2AK2-3PB
		Black	P2AK2-3PC
	Spring Return	Black	P2AK2-3PSR
	Spring Return right to centre	Black	P2AK2-3PSRR
		Black	P2AK2-3PSRRO
	Spring Return left to centre	Black	P2AK2-3PSRL
		Black	P2AK2-3PSRLI

* X stands for position in which key is removable

*All actuators are supplied with fixing flange

TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

TWIN ACTUATORS			
	TYPE	COLOUR	ORDERING CODE
		Green	P2ATF3F4
		Red	
	Double Flush w/o IO Mark	Yellow	P2ATF8F2
		Black	
		Green	P2ATF3F4(IO)
		Red	
	Double Flush with IO Mark	Yellow	P2ATF8F2(IO)
		Black	
		Green	P2ATF3P4
	1 Flush, 1 Projecting w/o IO Mark	Red	
		Yellow	P2ATF8P2
		Black	
		Green	P2ATF3P4(IO)
		Red	
	1 Flush, 1 Projecting with IO Mark	Yellow	P2ATF8P2(IO)
		Black	

*All actuators are supplied with fixing flange

TEKNIC





Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

ILLUMINATED MOMENTARY ACTUATORS WITH BULB			
	TYPE	COLOUR	ORDERING CODE
	Illuminated Flush		
		White	P2ALF1
	Filament Bulb	Green	P2ALF3
	6V to 130V AC/DC	Red	P2ALF4
		Amber	P2ALF5
	400V AC/DC with Neon bulb	Blue	P2ALF6
		Clear	P2ALF7
		Yellow	P2ALF8
Direct Connection	Please mention the voltage required after the ordering code		
		White	P2ALRF1
		Green	P2ALRF3
	Fil. Bulb	Red	P2ALRF4
	24V,48V,130V,230V AC/DC	Amber	P2ALRF5
		Blue	P2ALRF6
		Clear	P2ALRF7
		Yellow	P2ALRF8
Connection with Resistor	Please mention the voltage required after the ordering code		
		White	P2ALRF1 230V AC
		Green	P2ALRF3 230V AC
	Filament bulb	Red	P2ALRF4 230V AC
	230 V AC	Amber	P2ALRF5 230V AC
		Blue	P2ALRF6 230V AC
		Clear	P2ALRF7 230V AC
		Yellow	P2ALRF8 230V AC
Connection with Resistor + Diode	Please mention the voltage required after the ordering code		

TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED ACTUATORS WITH LED			
	Type	COLOUR	ORDERING CODE
	Illuminated Flush, Momentary		
		White	P2ALRF1L
		Green	P2ALRF3L
		Red	P2ALRF4L
	6V to 230V AC, 6V to 220V DC	Amber	P2ALRF5L
		Blue	P2ALRF6L
		Clear	P2ALRF7L
		Yellow	P2ALRF8L
Integral	Please mention the voltage required after the ordering code		
		White	P2ALF1LB
	24V AC/DC	Green	P2ALF3LB
	110V AC	Red	P2ALF4LB
	110V DC	Amber	P2ALF5LB
	230VAC	Blue	P2ALF6LB
	220VDC	Clear	P2ALF7LB
		Yellow	P2ALF8LB
Bayonet Bulb	Please mention the voltage required after the ordering code		
		White	P2ALRF1LF
		Green	P2ALRF3LF
	110V AC , 240V AC	Red	P2ALRF4LF
		Amber	P2ALRF5LF
		Blue	P2ALRF6LF
		Clear	P2ALRF7LF
		Yellow	P2ALRF8LF
Flasher	Please mention the voltage required after the ordering code		

TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED MOMENTARY ACTUATORS WITH BULB			
	TYPE	COLOUR	ORDERING CODE
	Illuminated Projecting		
 Direct Connection		White	P2ALP1
		Green	P2ALP3
	Filament Bulb	Red	P2ALP4
	6V to 130V AC/DC	Amber	P2ALP5
		Blue	P2ALP6
	400V AC/DC with Neon bulb	Clear	P2ALP7
		Yellow	P2ALP8
 Connection with Resistor		White	P2ALRP1
		Green	P2ALRP3
	Fil. Bulb	Red	P2ALRP4
	24V,48V,130V,230V AC/DC	Amber	P2ALRP5
		Blue	P2ALRP6
		Clear	P2ALRP7
		Yellow	P2ALRP8
Please mention the voltage required after the ordering code			
 Connection with Resistor + Diode	Filament bulb	White	P2ALRP1 230V AC
	230 V AC	Green	P2ALRP3 230V AC
		Red	P2ALRP4 230V AC
		Amber	P2ALRP5 230V AC
		Blue	P2ALRP6 230V AC
		Clear	P2ALRP7 230V AC
		Yellow	P2ALRP8 230V AC
Please mention the voltage required after the ordering code			

TEKNIC









Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

ILLUMINATED ACTUATORS WITH LED			
	TYPE	COLOUR	ORDERING CODE
	Illuminated Projecting, Momentary		
		White	P2ALRP1L
		Green	P2ALRP3L
		Red	P2ALRP4L
	6V to 230V AC,	Amber	P2ALRP5L
	6V to 220V DC	Blue	P2ALRP6L
		Clear	P2ALRP7L
		Yellow	P2ALRP8L
Integral	Please mention the voltage required after the ordering code		
		White	P2ALP1LB
		Green	P2ALP3LB
		Red	P2ALP4LB
		Amber	P2ALP5LB
	24V to 230V AC,	Blue	P2ALP6LB
	24V to 220V DC	Clear	P2ALP7LB
		Yellow	P2ALP8LB
Bayonet Bulb	Please mention the voltage required after the ordering code		
		White	P2ALRP1LF
		Green	P2ALRP3LF
		Red	P2ALRP4LF
		Amber	P2ALRP5LF
		Blue	P2ALRP6LF
	110V AC , 240V AC	Clear	P2ALRP7LF
		Yellow	P2ALRP8LF
Flasher	Please mention the voltage required after the ordering code		

TEKNIC







Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED SELECTOR WITH BULB			
	TYPE	COLOUR	ORDERING CODE
	2 Position Stayput illuminated selector actuator		
	Fil. 	White	P2ASL1-2P
	Bulb	Green	P2ASL3-2P
		Red	P2ASL4-2P
	6V to 130V AC/DC with	Amber	P2ASL5-2P
	Filament bulb	Blue	P2ASL6-2P
	400V AC/DC with Neon bulb	Clear	P2ASL7-2P
		Yellow	P2ASL8-2P
	Direct Connection	Please mention the voltage required after the ordering code	
	Fil. 	White	P2ASLR1-2P
	Bulb	Green	P2ASLR3-2P
		Red	P2ASLR4-2P
		Amber	P2ASLR5-2P
	24 V,48V,110V,230V with	Blue	P2ASLR6-2P
	Filament bulb AC/DC	Clear	P2ASLR7-2P
		Yellow	P2ASLR8-2P
	Connection with Resistor	Please mention the voltage required after the ordering code	
	Fil. 	White	P2ASLR1-2P 230V AC
	Bulb	Green	P2ASLR3-2P 230V AC
		Red	P2ASLR4-2P 230V AC
		Amber	P2ASLR5-2P 230V AC
		Blue	P2ASLR6-2P 230V AC
	230V AC with Filament bulb	Clear	P2ASLR7-2P 230V AC
		Yellow	P2ASLR8-2P 230V AC
	Connection with Resistor+Diode		
Note :		2 Position Spring return	Replace 2P with 2PSR

TEKNIC

Control & Signalling Devices 22.5 Ø











PLASTIC SERIES

ILLUMINATED SELECTOR WITH LED					
	TYPE	COLOUR	ORDERING CODE		
	2 Position Illuminated Selector Actuator				
	Integral LED 6V, 12V, 24V, 48V AC/DC 110VAC, 110VDC, 230VAC, 220VDC	White	P2ASLR1L-XXXXX		
Integral LED		Green	P2ASLR3L-XXXXX		
		Red	P2ASLR4L-XXXXX		
		Amber	P2ASLR5L-XXXXX		
		Blue	P2ASLR6L-XXXXX		
		Clear	P2ASLR7L-XXXXX		
		Yellow	P2ASLR8L-XXXXX		
		Please mention the voltage required after the ordering code			
	LED Bulb BA9S type 24V AC/DC, 110VAC, 110VDC 230VAC, 220VDC	White	P2ASL1LB-XXXXX		
LED Bulb		Green	P2ASL3LB-XXXXX		
		Red	P2ASL4LB-XXXXX		
		Amber	P2ASL5LB-XXXXX		
		Blue	P2ASL6LB-XXXXX		
		Clear	P2ASL7LB-XXXXX		
		Yellow	P2ASL8LB-XXXXX		
		Please mention the voltage required after the ordering code			
	Integral LED 24V, 110V, 230V, AC	White	P2ASLR1LF-XXXXX		
Flasher		Green	P2ASLR3LF-XXXXX		
		Red	P2ASLR4LF-XXXXX		
		Amber	P2ASLR5LF-XXXXX		
		Blue	P2ASLR6LF-XXXXX		
		Clear	P2ASLR7LF-XXXXX		
		Yellow	P2ASLR8LF-XXXXX		
		Please mention the voltage required after the ordering code			
1		Stayput	XXXXX	2P	
2		Spring return		2PSR	
XXXXX - Denotes Standard Execution					

TEKNIC

Control & Signalling Devices 22.5 Ø






PLASTIC SERIES

ILLUMINATED SELECTOR WITH BULB				
	TYPE	COLOUR	ORDERING CODE	
	3 Position Stayput illuminated selector actuator			
	Fil.  Bulb	White Green Red Amber Blue Clear Yellow	2ASL1-3P 2ASL3-3P 2ASL4-3P 2ASL5-3P 2ASL6-3P 2ASL7-3P 2ASL8-3P	
Direct Connection	Please mention the voltage required after the ordering code			
	Fil.  Bulb	White Green Red Amber Blue Clear Yellow	2ASLR1-3P 2ASLR3-3P 2ASLR4-3P 2ASLR5-3P 2ASLR6-3P 2ASLR7-3P 2ASLR8-3P	
Connection with Resistor	Please mention the voltage required after the ordering code			
	Fil.  Bulb	White Green Red Amber Blue Clear Yellow	2ASLR1-3P 230V AC 2ASLR3-3P 230V AC 2ASLR4-3P 230V AC 2ASLR5-3P 230V AC 2ASLR6-3P 230V AC 2ASLR7-3P 230V AC 2ASLR8-3P 230V AC	
Connection with Resistor+Diode	230V AC with Filament bulb			
SELECTOR	1		3 Position Spring return	Replace 3P with 3PSR
	2		3 Position Spring return Left	Replace 3P with 3PSRL
	3		3 Position Spring return Right	Replace 3P with 3PSRR
	Example : 3 Position Spring return right Illuminated Selector Actuator, Red, 110V DC Ordering Code : 2ASLR4 - 3PSRR 110V DC			

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

ILLUMINATED SELECTOR WITH LED					
	TYPE	COLOUR	ORDERING CODE		
	3 Position Illuminated Selector Actuator				
	Integral LED 6V, 12V, 24V, 48V AC/DC 110VAC, 110VDC, 230VAC, 220VDC	White	2ASLR1L-XXXXX		
Integral LED		Green	2ASLR3L-XXXXX		
		Red	2ASLR4L-XXXXX		
		Amber	2ASLR5L-XXXXX		
		Blue	2ASLR6L-XXXXX		
		Clear	2ASLR7L-XXXXX		
		Yellow	2ASLR8L-XXXXX		
		Please mention the voltage required after the ordering code			
	LED Bulb BA9S type 24V AC/DC, 110VAC, 110VDC 230VAC, 220VDC	White	2ASL1LB-XXXXX		
LED Bulb		Green	2ASL3LB-XXXXX		
		Red	2ASL4LB-XXXXX		
		Amber	2ASL5LB-XXXXX		
		Blue	2ASL6LB-XXXXX		
		Clear	2ASL7LB-XXXXX		
		Yellow	2ASL8LB-XXXXX		
		Please mention the voltage required after the ordering code			
	Integral LED 24V, 110V, 230V, AC	White	2ASLR1LF-XXXXX		
Flasher		Green	2ASLR3LF-XXXXX		
		Red	2ASLR4LF-XXXXX		
		Amber	2ASLR5LF-XXXXX		
		Blue	2ASLR6LF-XXXXX		
		Clear	2ASLR7LF-XXXXX		
		Yellow	2ASLR8LF-XXXXX		
		Please mention the voltage required after the ordering code			
1		Stayput	XXXXX 3P		
2		Spring return	3PSR		
3		Spring return Right	3PSRR		
4		Spring return Left	3PSRL		
XXXXX - Denotes Standard Execution					

TEKNIC

Control & Signalling Devices 22.5 Ø





PLASTIC SERIES

TWIN ILLUMINATED ACTUATORS WITH BULB			
	Type	COLOUR	ORDERING CODE
	Illuminated Twin Flush (IO) Marked		
	Filament Bulb		
	6V to 130V AC/DC	Red	P2ATL5 F3F4 (IO)
		Green	
	400V AC/DC with Neon bulb	Amber Lens	
Direct Connection	Please mention the voltage required after the ordering code		
	Fil. Bulb		
	24V,48V,130V,230V AC/DC	Red	P2ATLR5 F3F4 (IO)
	AC/DC without CSA approval	Green	
		Amber Lens	
Connection with Resistor	Please mention the voltage required after the ordering code		
	Filament bulb		
	230 V AC UL marked	Red	P2ATLR5 F3F4 (IO) 230V AC
		Green	
		Amber Lens	
Connection with Resistor + Diode			
	Illuminated 1 Flush, 1 Projecting (IO) Marked		
	Filament Bulb		
	6V to 130V AC/DC		
	400V AC/DC with Neon bulb	Green	P2ATL5 F3P4 (IO)
		Red	
		Amber Lens	
Direct Connection	Please mention the voltage required after the ordering code		
	Fil. Bulb		
	24V,48V,130V,230V AC/DC	Green	P2ATLR5 F3P4 (IO)
		Red	
		Amber Lens	
Connection with Resistor	Please mention the voltage required after the ordering code		
	Filament bulb		
	230 V AC	Green	P2ATLR5 F3P4 (IO) 230V AC
		Red	
		Amber Lens	

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

TWIN ILLUMINATED ACTUATORS WITH LED			
	TYPE	COLOUR	ORDERING CODE
	Twin Illuminated 1 Flush, 1 Projecting		
			
		Green	P2ATLR5L F3P4 (IO)
		Red	
	6V to 230V AC, 6V to 220V DC	Amber Lens	
Integral	Please mention the voltage required after the ordering code		
			
	24V AC/DC	Green	P2ATLR5LB F3P4 (IO)
	110V AC	Red	
	110V DC	Amber Lens	
	230VAC		
	220VDC		
Bayonet Bulb	Please mention the voltage required after the ordering code		
			
		Green	P2ATLR5LF3P4 (IO)F
		Red	
	110V AC , 240V AC	Amber Lens	
	Please mention the voltage required after the ordering code		
Flasher			

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

TWIN ILLUMINATED ACTUATORS WITH LED			
	TYPE	COLOUR	ORDERING CODE
	Twin Illuminated Flush (IO) Marked		
			
		Green	P2ATLR5L F3F4 (IO)
		Red	
	6V to 230V AC, 6V to 220V DC	Amber Lens	
Integral	Please mention the voltage required after the ordering code		
			
	24V AC/DC	Green	P2ATLR5LB F3F4 (IO)
	110V AC	Red	
	110V DC	Amber Lens	
	230VAC		
	220VDC		
Bayonet Bulb	Please mention the voltage required after the ordering code		
			
		Green	P2ATLR5LF F3F4 (IO)
		Red	
	110V AC , 240V AC	Amber Lens	
Flasher	Please mention the voltage required after the ordering code		


TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

PILOT LIGHTS WITH BULB				
	TYPE		COLOUR	ORDERING CODE
				
			White	P2PLB1
			Green	P2PLB3
			Red	P2PLB4
	Filament Bulb		Amber	P2PLB5
	6V to 130V AC/DC		Blue	P2PLB6
			Clear	P2PLB7
	400V AC/DC with Neon bulb		Yellow	P2PLB8
	Direct Connection			
			White	P2PLBR1
			Green	P2PLBR3
	Fil. Bulb		Red	P2PLBR4
	24V,48V,130V,230V AC/DC		Amber	P2PLBR5
			Blue	P2PLBR6
			Clear	P2PLBR7
			Yellow	P2PLBR8
	Connection with Resistor			
			White	P2PLBR1240AC
	Filament bulb		Green	P2PLBR3240AC
	230 V AC		Red	P2PLBR4240AC
			Amber	P2PLBR5240AC
			Blue	P2PLBR6240AC
			Clear	P2PLBR7240AC
			Yellow	P2PLBR8240AC
	Connection with Resistor + Diode			
			White	P2PLBT1XX/YYY
	Filament bulb		Green	P2PLBT3XX/YYY
			Red	P2PLBT4XX/YYY
	SEC	PRI	Amber	P2PLBT5XX/YYY
	6	110	Blue	P2PLBT6XX/YYY
	12		Clear	P2PLBT7XX/YYY
	24	240	Yellow	P2PLBT8XX/YYY
	Connection with Transformer			XX - Secondary Voltage YYY - Primary Voltage

TEKNIC


Control & Signalling Devices 22.5 Ø PLASTIC SERIES

PILOT LIGHTS WITH LED			
	TYPE	COLOUR	ORDERING CODE
			
		White	P2PLBR1L
	6V to 230V AC,	Green	P2PLBR3L
	6V to 220V DC	Red	P2PLBR4L
		Amber	P2PLBR5L
		Blue	P2PLBR6L
		Clear	P2PLBR7L
		Yellow	P2PLBR8L
Integral	Please mention the voltage required after the ordering code		
		White	P2PLB1LB
		Green	P2PLB3LB
	24V AC/DC	Red	P2PLB4LB
	110V AC	Amber	P2PLB5LB
	110V DC	Blue	P2PLB6LB
	230VAC	Clear	P2PLB7LB
	220VDC	Yellow	P2PLB8LB
Bayonet Bulb	Please mention the voltage required after the ordering code		
		White	P2PLBR1LF
		Green	P2PLBR3LF
	110V AC , 240V AC	Red	P2PLBR4LF
		Amber	P2PLBR5LF
		Blue	P2PLBR6LF
		Clear	P2PLBR7LF
		Yellow	P2PLBR8LF
Flasher	Please mention the voltage required after the ordering code		
		White	P2PLBR1LU
		Green	P2PLBR3LU
	24V upto 240V AC/DC	Red	P2PLBR4LU
		Amber	P2PLBR5LU
		Blue	P2PLBR6LU
		Clear	P2PLBR7LU
		Yellow	P2PLBR8LU
Integral			

TEKNIC



Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

LED PILOT LIGHTS ECONOMIC SERIES				
	Type	COLOUR	ORDERING CODE	
		White	3PLBR1L	
		Green	3PLBR3L	
	6V to 230V AC,	Red	3PLBR4L	
	6V to 220V DC	Amber	3PLBR5L	
		Blue	3PLBR6L	
		Clear	3PLBR7L	
		Yellow	3PLBR8L	
	Please mention the voltage required after the ordering code			

TEKNIC

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

CONTACT ELEMENTS					
	TYPE	ORDERING CODE			
	PANEL MOUNTING				
		NORMALLY OPEN SILVER CONTACTS	S1		
		NORMALLY CLOSED SILVER CONTACTS	S2		
		NORMALLY OPEN GOLD CONTACTS	S3		
		NORMALLY CLOSED GOLD CONTACTS	S4		
	BASE MOUNTING				
		NORMALLY OPEN SILVER CONTACTS	S5		
		NORMALLY CLOSED SILVER CONTACTS	S6		
		NORMALLY OPEN GOLD CONTACTS	S7		
		NORMALLY CLOSED GOLD CONTACTS	S8		
	SPECIAL PURPOSE ACTUATORS				
		TYPE	COLOUR	ORDERING CODE	
		Flush Relay	White	P2AF1RR	
		Reset Actuators	Black	P2AF2RR	
		Green	P2AF3RR		
		Red	P2AF4RR		
		Blue	P2AF6RR		
		Yellow	P2AF8RR		

*All actuators are supplied with fixing flange

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

Accessories and spares					
Standard Legend Plates					
1 POSITION		2 POSITION			
LEGEND	ORDERING CODE	LEGEND		ORDERING CODE	
START	2LP01	START	STOP	2LP28	
STOP	2LP02	UP	DOWN	2LP29	
FORWARD	2LP03	ON	OFF	2LP30	
REVERSE	2LP04	REV.	FWD.	2LP31	
UP	2LP05	AUTO	HAND	2LP32	
DOWN	2LP06	LOCAL	REMOTE	2LP33	
OPEN	2LP07	I	II	2LP34	
CLOSE	2LP08	O	I	2LP35	
AUTO	2LP09				
HAND	2LP10				
SLOW	2LP11			3 POSITION	
FAST	2LP12	LEGEND		ORDERING CODE	
RESET	2LP13	HAND	O	AUTO	2LP36
INCH	2LP14	SLOW	OFF	FAST	2LP37
ON	2LP15	UP	OFF	DOWN	2LP38
OFF	2LP16	I	O	II	2LP39
RIGHT	2LP17				
LEFT	2LP18				
TRIP	2LP19	OTHERS			
POWER ON	2LP20	LEGEND		ORDERING CODE	
LOCAL	2LP21	BLANK ALUMINUM		2LP40	
REMOTE	2LP22	EMERGENCY STOP (60mm)		2LP41	
TEST	2LP23				
RUN	2LP24				
R PHASE	2LP25				
Y PHASE	2LP26				
B PHASE	2LP27				
Legend Plates (Aluminum) from		Legend Plate 2LP41 (Plastic)			
2LP01 to 2LP40		Yellow with Black characters			
		for EMERGENCY STOP			

TEKNIC

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

Bulbs							
Filament Bulbs type BA9S							
Voltage:	6	12	24	30	48	60	130
Watts :	1	2	2	2	2	2	2.6
Multichip LED type BA9S							
Colour:	White	Green	Red	Amber	Blue	Yellow	
Code :	MCB91	MCB93	MCB94	MCB95	MCB96	MCB98	
Please put supply voltage 24 / 48 / 110AC / 110DC / 230AC / 220 DC after the part no. of LED bulbs							

Lenses							
Colour of Lens:	TransWhite	Green	Red	Amber	Blue	Clear	Yellow
For Pilot lights with Filament Bulb	2PLL1	2PLL3	2PLL4	2PLL5	2PLL6	2PLL7	2PLL8
For Pilot lights with LED	2PLL1L	2PLL3L	2PLL4L	2PLL5L	2PLL6L	2PLL7L	2PLL8L
For Illuminated Actuators (Fil. bulb)	2LAL1	2LAL3	2LAL4	2LAL5	2LAL6	2LAL7	2LAL8
Illuminated Actuators LED	2LAL1L	2LAL3L	2LAL4L	2LAL5L	2LAL6L	2LAL7L	2LAL8L

Boots							
Boots for non-illuminated flush actuators							
Colour of Boot:	Transparent						
Type No.	2BT7						

Boots for booted actuators							
Colour of Boot	Black	Green	Red	Blue	Yellow		
Type No.	2BT2	2BT3	2BT4	2BT6	2BT8		

Boot for illuminated flush actuators							
Colour of Boot	Transparent						
Type No.	2ALBT7						

Boot for twin non-illuminated actuators							
Colour of Boot	Transparent						
Type No.	2ATBT7						

Boot for twin non-illuminated actuators							
Colour of Boot:	Transparent						
Type No.	2ATLBT7						

Bulb extractor							
Type No.:	2BA9SE						

Blanking plug for 22.5 Ø hole, Black							
Type No.:	2BP2						

Padlock							
Padlock for mushroom actuator :	Ordering Code 2PAM						
Padlock for projecting actuator :	Ordering Code 2PAP						

Fixing Flange							
Type No. :	P2BRK						

Adaptor for fixing 22.5 Ø devices in 30.5 Ø cutout.							
Type No. :	2ADP						

Push Push Mechanism to convert momentary actuators into latching type							
Type No. :	2PPM						